AUTHOR INDEX

Acevedo, M. and Armstrong, W.M.D.
Electrophysiology of L-lysine entry across the brush-border membrane of *Necturus* intestine (896) 295
Ahmad, S., Berezin, I., Vincent, J.-P. and Daniel, E.E.
Neurotensin receptors in canine intestinal smooth muscle: preparation of plasma membranes and characterization of (Tyr^3-^{125}I)-labelled neurotensin binding (896) 224
Alkonyi, I., see Kispal, G. (896) 96
Armstrong, W.M.D., see Acevedo, M. (896) 295
Asami, K., see Irimajiri, A. (896) 203
Asami, K., see Irimajiri, A. (896) 214
Aubry, H., see Merrill, A.R. (896) 89

Bammel, B.P., Brand, J.A., Simmons, R.B., Evans, D. and Smith, J.C.
The interaction of potential-sensitive molecular probes with dimyristoylphosphatidylcholine vesicles investigated by ^{31}P-NMR and electron microscopy (896) 136
Benkö, S., Hilkmann, H., Vigh, L. and Van Blitterswijk, W.J.
Catalytic hydrogenation of fatty acyl chains in plasma membranes; effect on membrane lipid fluidity and expression of cell surface antigens (896) 129
Berezin, I., see Ahmad, S. (896) 224
Bouloussa, O. and Dupeyrat, M.
Disturbing effect of perdeuterated fatty acids used as probes in phospholipid monolayers (896) 239
Bourguignon, L.Y.W., see Suchard, S.J. (896) 35
Brand, J.A., see Bammel, B.P. (896) 136
Brasitus, T.A., Dudeja, P.K., Dahiya, R. and Brown, M.D.
1,2-Dimethylhydrazine-induced alterations in colonic plasma membrane fluidity: restriction to the luminal region (896) 311
Brown, M.D., see Brasitus, T.A. (896) 311
Brown, T.J., see Simon, I. (896) 165
Burton, K.A., see Ilundain, A. (896) 113

Caffrey, M.
The combined and separate effects of low temperature and freezing on membrane lipid mesomorphic phase behavior: relevance to cryobiology (896) 123
Caffrey, M., see Dea, P. (896) 11
Chan, S.I., see Dea, P. (896) 11
Chatelier, R.C., see Chefurka, W. (896) 181
Cheeseman, C.I., see Davies, S. (896) 247
Chefurka, W., Chatelier, R.C. and Sawyer, W.H.
Perturbation of phospholipid bilayers by DDT (896) 181
Chitranukroh, A., see Kawata, S. (896) 26
Costello, P.B. and Green, F.A.
Cholesterol effects on the interaction of cardiolipin with anti-cardiolipin antibody (896) 52
Costello, P.B., see Green, F.A. (896) 47
Csermely, P., see Varga, S. (896) 187

Dahiya, R., see Brasitus, T.A. (896) 311
Daniel, E.E., see Ahmad, S. (896) 224
Davies, S., Maenz, D.D. and Cheeseman, C.I.
A novel imino-acid carrier in the enterocyte basolateral membrane (896) 247
Dea, P., Pearson, L.T., Caffrey, M. and Chan, S.I.
Effect of chlorophyll *a* on the phase behavior of hydrated monogalactosyldiacylglycerols (896) 11
Dudeja, P.K., see Brasitus, T.A. (896) 311
Dupeyrat, M., see Bouloussa, O. (896) 239
Dux, L., see Varga, S. (896) 187

Eibl, H., see Pascher, I. (896) 77
Evans, D., see Bammel, B.P. (896) 136

Ferenci, T. and Lee, K.-S.
The influence of maltoporin affinity on the transport of maltose and maltohexaose into *Escherichia coli* (896) 319
Fischbarg, J., see Liebovitch, L.S. (896) 173
Flores, E., Herrero, A. and Guerrero, M.G.
Nitrite uptake and its regulation in the cyanobacterium *Anacystis nidulans* (896) 103
Flores, E., see Madueño, F. (896) 109

Ginsberg, B.H., see Simon, I. (896) 165
Green, F.A. and Costello, P.B.
Divalent cation effects on the binding of human anti-phospholipid antibodies (896) 47
Green, F.A., see Costello, P.B. (896) 52
Guerrero, M.G., see Flores, E. (896) 103
Guerrero, M.G., see Madueño, F. (896) 109

Harlos, K., see Pascher, I. (896) 77
Hausman, R.E., see Santini, M.T. (896) 19
Herrero, A., see Flores, E. (896) 103
Hilkmann, H., see Benkö, S. (896) 129
Hu, C.-b., Spiess, M. and Semenza, G.
The mode of anchoring and precursor forms of sucrase-isomaltase and maltase-glucoamylase in chicken intestinal brush-border membrane. Phylogenetic implications (896) 275

Ichinowatari, T., see Irimajiri, A. (896) 203
Ichinowatari, T., see Irimajiri, A. (896) 214
Ilundain, A., O'Brien, J.A., Burton, K.A. and Sepúlveda, F.V.

Inositol trisphosphate and calcium mobilisation in permeabilised enterocytes (896) 113
Indovina, P.L., see Santini, M.T. (896) 19
Irimajiri, A., Asami, K., Ichinowatari, T. and Kinoshita, Y.
Passive electrical properties of the membrane and cytoplasm of cultured rat basophil leukemia cells. I. Dielectric behavior of cell suspensions in 0.01–500 MHz and its simulation with a single-shell model (896) 203
Irimajiri, A., Asami, K., Ichinowatari, T. and Kinoshita, Y.
Passive electrical properties of the membrane and cytoplasm of cultured rat basophil leukemia cells. II. Effects of osmotic perturbation (896) 214

Jung, C.Y., see Rampal, A.L. (896) 287
Jung, G., see Voges, K.-P. (896) 64

Kawata, S., Chitranukroh, A., Owen, J.S. and McIntyre, N.
Membrane lipid changes in erythrocytes, liver and kidney in acute and chronic experimental liver disease in rats (896) 26
Kidrič, J., see Lasič, D.D. (896) 117
Kinoshita, Y., see Irimajiri, A. (896) 203
Kinoshita, Y., see Irimajiri, A. (896) 214
Kispal, G., Melegh, B., Alkonyi, I. and Sandor, A.
Enhanced uptake of carnitine by perfused rat liver following starvation (896) 96
Kitani, K., see Lustyik, G. (896) 57
Koniarek, J.P., see Liebovitch, L.S. (896) 173

Lasič, D.D., Kidrič, J. and Zagorc, S.
A simple method for the preparation of small unilamellar vesicles (896) 117
Lee, K.-S., see Ferenci, T. (896) 319
Liebovitch, L.S., Fischbarg, J., Koniarek, J.P., Todorova, I. and Wang, M.
Fractal model of ion-channel kinetics (896) 173
Lustyik, G., Kitani, K. and Ohta, M.
The mobility of concanavalin A receptors and surface immunoglobulins on rat hepatocyte plasma membranes (896) 57

McIntyre, N., see Kawata, S. (896) 26
Madueño, F., Flores, E. and Guerrero, M.G.
Competition between nitrate and nitrite uptake in the cyanobacterium *Anacystis nidulans* (896) 109
Maenz, D.D., see Davies, S. (896) 247
Magnolato, D., see O'Neill, B. (896) 263
Martonosi, A., see Varga, S. (896) 187
Mautone, A.J., Reilly, K.E. and Mendelsohn, R.
Fourier transform infrared and differential scanning calorimetric studies of a surface-active material from rabbit lung (896) 1
Melegh, B., see Kispal, G. (896) 96
Mendelsohn, R., see Mautone, A.J. (896) 1
Merrill, A.R., Aubry, H., Proulx, P. and Szabo, A.G.
Relation between Ca^{2+} uptake and fluidity of brush-border membranes isolated from rabbit small intestine and incubated with fatty acids and methyl oleate (896) 89
Mikkelsen, R.B., see O'Neill, W.C. (896) 196
Mullner, N., see Varga, S. (896) 187

O'Brien, J.A., see Ilundain, A. (896) 113
Ohta, M., see Lustyik, G. (896) 57
O'Neill, B., Magnolato, D. and Semenza, G.
The electrogenic, Na^+-dependent I^- transport system in plasma membrane vesicles from thyroid glands (896) 263
O'Neill, W.C. and Mikkelsen, R.B.
Furosemide-sensitive Na^+ and K^+ transport and human erythrocyte volume (896) 196
Owen, J.S., see Kawata, S. (896) 26

Pascher, I., Sundell, S., Harlos, K. and Eibl, H.
Conformation and packing properties of membrane lipids: The crystal structure of sodium dimyristoylphosphatidylglycerol (896) 77
Pearson, L.T., see Dea, P. (896) 11
Petersen, O.H., see Velasco, J.M. (896) 305
Proulx, P., see Merrill, A.R. (896) 89

Rampal, A.L. and Jung, C.Y.
Substrate-induced conformational change of human erythrocyte glucose transporter: inactivation by alkylating reagents (896) 287
Reed, R.A. and Shipley, G.G.
Structure and metastability of *N*-lignocerylgalactosylsphingosine (cerebroside) bilayers (896) 153
Reilly, K.E., see Mautone, A.J. (896) 1

Sandor, A., see Kispal, G. (896) 96
Santini, M.T., Indovina, P.L. and Hausman, R.E.
Changes in myoblast membrane order during differentiation as measured by EPR (896) 19
Sawyer, W.H., see Chefurka, W. (896) 181
Sawyer, W.H., see Voges, K.-P. (896) 64
Schell, R.E. and Wright, E.M.
Effects of lidocaine on transport properties of renal brush-border membranes (896) 256
Semenza, G., see Hu, C.-b. (896) 275
Semenza, G., see O'Neill, B. (896) 263
Sepúlveda, F.V., see Ilundain, A. (896) 113
Shipley, G.G., see Reed, R.A. (896) 153
Simmons, R.B., see Bammel, B.P. (896) 136
Simon, I., Brown, T.J. and Ginsberg, B.H.
Modification of membrane physical properties, biological response and insulin binding in Friend cells by low serum concentration (896) 165
Smith, J.C., see Bammel, B.P. (896) 136
Spiess, M., see Hu, C.-b. (896) 275
Suchard, S.J. and Bourguignon, L.Y.W.
Further characterization of a fodrin-containing transmembrane complex from mouse T-lymphoma cells (896) 35
Sundell, S., see Pascher, I. (896) 77
Szabo, A.G., see Merrill, A.R. (896) 89

Todorova, I., see Liebovitch, L.S. (896) 173

Van Blitterswijk, W.J., see Benkö, S. (896) 129
Varga, S., Csermely, P., Mullner, N., Dux, L. and Martonosi, A.
Effect of chemical modification on the crystallization of Ca^{2+}-ATPase in sarcoplasmic reticulum (896) 187
Velasco, J.M. and Petersen, O.H.
Voltage-activation of high-conductance K^+ channel in the insulin-secreting cell line RINm5F is dependent on local extracellular Ca^{2+} concentration (896) 305
Vigh, L., see Benkö, S. (896) 129
Vincent, J.-P., see Ahmad, S. (896) 224
Voges, K.-P., Jung, G. and Sawyer, W.H.
Depth-dependent fluorescent quenching of a tryptophan residue located at defined positions on a rigid 21-peptide helix in liposomes (896) 64

Wang, M., see Liebovitch, L.S. (896) 173
Wright, E.M., see Schell, R.E. (896) 256

Zagorc, S., see Lasič, D.D. (896) 117